


Glazing

GLASS TYPE		GLASS STRUCTURE	WIDTH (mm)	Thermal transmission of heat flow U_g (W/m ² K)	Sound Transmission Rating (Rw dB)	The degree of light transmission τ_v (%)	Energy Transmission Rating g (%)	Security Level for EN356 SHK
THERMAL INSULATING GLASS PLUS	UNITOP 0,5 one	4:/16/4/16/:4 Argon one	44	0,5	34	57	37	
	UNITOP 0,5	4:/18/4/18/:4 Argon	48	0,5	34	73	53	
	UNITOP 0,6	4:/16/4/16/:4 Argon	44	0,6	34	73	53	
	UNITOP ECLAZ 0,5	4:/18/4/18/:4 Argon ECLAZ	48	0,5	34	77	60	
THERMAL AND SOUND INSULATING GLASS	UNIPHON 50/39 0,5	6:/18/4/18/:4 Argon	50	0,5	39	73	52	
	UNIPHON 52/40 0,5	8:/18/4/18/:4 Argon	52	0,5	40	73	51	
	UNIPHON 55/42 0,5	6:/18/4/18/:VSG 44.2 SI Argon	55	0,5	42	72	52	
	UNIPHON 57/45 0,5	8:/18/4/18/:VSG 44.2 SI Argon	57	0,5	45	72	51	

THERMAL INSULATING
GLASS PLUS

UNITOP 0,5


$U_g = 0,5$ W/m² K -Argon
4:/18/4/18/:4 = 48 mm
Rw = 34 dB
Light transmission 73 %
Energy Transmission 53 %



THERMAL INSULATING
GLASS PLUS

UNITOP 0,5

$U_g = 0,5$ W/m² K -Argon
8:/18/4/18/:4 = 52 mm
Rw = 40 dB
Light transmission 73 %
Energy Transmission 51 %



Spacers: TGI black - standard