



WOOD & WOOD/ALU DOORS

# TREND



Imaginative and light, bold and dynamic - you will feel all this and much more when watching a front door from our TREND series model range. The doors boast a sophisticated range of glass motif, refined applications, a wide array of elegant handles, and flush stainless steel bands as well as a magical interplay of light when the LEDs are switched on. Relax, enjoy, and choose and equip the doors of your dreams.

|    |            |
|----|------------|
| 68 | Ud (Wm²/K) |
| H  | 0,94*      |


|    |            |
|----|------------|
| 68 | Ud (Wm²/K) |
| HA | 0,94*      |



**HA 68 Wood/alu** - door model

HAT 100

Color aluminija Dekor Beton dark  
RAL 7024  
Handle P 3212



Alu Dekor Beton dark



**H 68 Wood** - door model

HT 100

Wood and color Altholz oak, RGI, horizontal veneer,  
Ral 9005  
Handle P2/7- black  
Opening fingerprint



Altholz oak



**H HA 80**

HTA 105

Wood and color larch, RL 23, horizontal veneer,  
Ral 7016  
Application enamel glass -RAL 9017  
Handle 316 872 - black  
Opening fingerprint

| 80 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|
| H  | 0,83*                   |
| HA | 0,83*                   |



**H HA 80**

HTA 103

Color Ral 7016  
Glass motiv Satinato white and  
enamel glass -RAL 9017  
Handle 316 848 - black

| 80 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|
| H  | 0,85 (Ug 0,6)           |
| H  | 0,86 (Ug 0,7)           |
| HA | 0,84 (Ug 0,5)           |



**H HA 80 68**

## HTA 123

Wood and color spruce fir, RF/ 200, horizontal veneer,  
RAL 7012  
Handle P 3214  
Weatherboard WSE 03

| 68 | Ud (Wm <sup>2</sup> /K) | 80 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|----|-------------------------|
| H  | 0,94*                   | H  | 0,83*                   |
| HA | 0,94*                   | HA | 0,83*                   |



**H HA 80 68**

## HTA 121

Color Ral 7012  
Handle 316 872 - black

| 68 | Ud (Wm <sup>2</sup> /K) | 80 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|----|-------------------------|
| H  | 0,94*                   | H  | 0,83*                   |
| HA | 0,94*                   | HA | 0,83*                   |



**H HA 80 68**

## HT 867 / HSTT 400

Color Ral 7012, Ral 7021  
Glass Ornament glass  
Handle ZAE 66 - black  
Opening fingerprint

| 68 | Ud (Wm <sup>2</sup> /K) | 80 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|----|-------------------------|
| H  | 1,0 (Ug 0,7)            | H  | 0,92 (Ug 0,6)           |
| H  | 1,2 (Ug 1,1)            | H  | 0,96 (Ug 0,7)           |
| HA | 0,95 (Ug 0,5)           | HA | 0,88 (Ug 0,5)           |



**H HA 80 68**

HT 264A / HSTT 400

Wood and color oak, RE ÖI, horizontal veneer  
Ral 7021  
Glass motiv SM 264A  
Handle 316 872 - black

| 68 | Ud (Wm²/K) | 80 | Ud (Wm²/K) |
|----|------------|----|------------|
| H  | 0,94*      | H  | 0,83*      |
| HA | 0,94*      | HA | 0,83*      |



**H HA 80 68**

HTA 264

Color Ral 7021  
Application stainless steel  
Handle P 3214  
Weatherboard WSE 03

| 68 | Ud (Wm²/K) | 80 | Ud (Wm²/K) |
|----|------------|----|------------|
| H  | 0,94*      | H  | 0,83*      |
| HA | 0,94*      | HA | 0,83*      |



**H HA 80 68**

## HTA 874

Color Ral 9002  
Application stainless steel  
Glass ornament glass  
Handle SG-300

| 68 | Ud (Wm <sup>2</sup> /K) | 80 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|----|-------------------------|
| H  | <b>1,0</b> (Ug 0,7)     | H  | <b>0,89</b> (Ug 0,6)    |
| H  | <b>1,1</b> (Ug 1,1)     | H  | <b>0,92</b> (Ug 0,7)    |
| HA | <b>0,95</b> (Ug 0,5)    | HA | <b>0,86</b> (Ug 0,5)    |



**H HA 68**

## HT 875

Wood and color oak, RE 22  
Application stainless steel  
Glass Ornament glass  
Handle 316 866

| 68 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|
| H  | <b>1,0</b> (Ug 0,7)     |
| H  | <b>1,1</b> (Ug 1,1)     |
| HA | <b>0,95</b> (Ug 0,5)    |



**H HA 68**

## HT 864 / HSTT 400

Wood and color oak, RE Ö1, horizontal veneer,  
Ral 7021  
Glass motif sandblasted, SM 864  
Handle P 3217

| 68 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|
| H  | <b>1,0</b> (Ug 0,7)     |
| H  | <b>1,1</b> (Ug 1,1)     |
| HA | <b>0,99</b> (Ug 0,5)    |

TREND ALPHA  
& TREND



**H** **HA** **68**

HT 911 / HSTT 400

Color Ral 7039  
Application Alu HD Wenge, horizontal veneer  
stainless steel  
Glass motiv SM 911  
Handle P 3210

| 68 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|
| H  | 0,94*                   |
| HA | 0,94*                   |



**H** **HA** **80** **68**

HTA 899

Wood and color meranti, RM 32  
Application stainless steel  
Handle P 3206

| 68 | Ud (Wm <sup>2</sup> /K) | 80 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|----|-------------------------|
| H  | 0,94*                   | H  | 0,83*                   |
| HA | 0,94*                   | HA | 0,83*                   |



**H HA 80 68**

## HTA 131

Wood and color spruce fir, RF/K 16, horizontal veneer  
 Ral 7039  
 Glass ornament glass  
 Handle 316 866  
 Weatherboard WSE 03

| 68 | Ud (Wm <sup>2</sup> /K) | 80 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|----|-------------------------|
| H  | <b>0,95</b> (Ug 0,7)    | H  | <b>0,84</b> (Ug 0,6)    |
| H  | <b>0,96</b> (Ug 1,1)    | H  | <b>0,85</b> (Ug 0,7)    |
| HA | <b>0,94</b> (Ug 0,5)    | HA | <b>0,84</b> (Ug 0,5)    |



**H HA 80 68**

## HTA 863B

Color Ral 7039  
 Glass ornament glass  
 Handle P 3217 - black

| 68 | Ud (Wm <sup>2</sup> /K) | 80 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|----|-------------------------|
| H  | <b>0,96</b> (Ug 0,7)    | H  | <b>0,86</b> (Ug 0,6)    |
| H  | <b>1,0</b> (Ug 1,1)     | H  | <b>0,87</b> (Ug 0,7)    |
| HA | <b>0,94</b> (Ug 0,5)    | HA | <b>0,85</b> (Ug 0,5)    |



**H HA 80 68**

## HT 863A / HSTT 400

Wood and color meranti, RM 22, horizontal veneer  
 Ral 7039  
 Application stainless steel  
 Glass motif sandblasted, SM 863A  
 Handle P 3214  
 Weatherboard WSE 02

| 68 | Ud (Wm <sup>2</sup> /K) | 80 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|----|-------------------------|
| H  | <b>0,96</b> (Ug 0,7)    | H  | <b>0,86</b> (Ug 0,6)    |
| H  | <b>1,0</b> (Ug 1,1)     | H  | <b>0,87</b> (Ug 0,7)    |
| HA | <b>0,94</b> (Ug 0,5)    | HA | <b>0,85</b> (Ug 0,5)    |

**H HA 80 68**

## HTA 919

Wood and color: spruce fir, RF/K 10, horizontal veneer  
Application: Alu Ral 7006, stainless steel  
Glass motif: SG 895  
Handle: P 3214

| 68 | Ud (Wm <sup>2</sup> /K) | 80 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|----|-------------------------|
| H  | 0,98 (Ug 0,7)           | H  | 0,86 (Ug 0,6)           |
| H  | 1,0 (Ug 1,1)            | H  | 0,87 (Ug 0,7)           |
| HA | 0,94 (Ug 0,5)           | HA | 0,85 (Ug 0,5)           |



**H HA 68**

## HT 900 / HSTT 400

Wood and color: oak, RE 22, horizontal veneer, Ral 7039  
Application: Alu Ral 7021 FS  
Glass: stainless steel  
ornament glass  
Handle: 314 597

| 68 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|
| H  | 0,96 (Ug 0,7)           |
| H  | 1,0 (Ug 1,1)            |
| HA | 0,94 (Ug 0,5)           |

**H HA 80 68**

## HTA 920A

Color: Ral 7016  
Application: Alu Dekor Zement light  
stainless steel  
Glass: Ornament glass  
Handle: P 3214  
Opening: fingerprint



| 68 | Ud (Wm <sup>2</sup> /K) | 80 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|----|-------------------------|
| H  | 0,97 (Ug 0,7)           | H  | 0,87 (Ug 0,6)           |
| H  | 1,0 (Ug 1,1)            | H  | 0,88 (Ug 0,7)           |
| HA | 0,94 (Ug 0,5)           | HA | 0,85 (Ug 0,5)           |



**H HA 80 68**

## HTA 906A

Wood and color spruce fir, RF/K 10, horizontal veneer  
 Application stainless steel  
 Glass ornament glass  
 Handle P 3214  
 Opening fingerprint

| 68 | Ud (Wm <sup>2</sup> /K) | 80 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|----|-------------------------|
| H  | <b>0,98</b> (Ug 0,7)    | H  | <b>0,87</b> (Ug 0,6)    |
| H  | <b>1,0</b> (Ug 1,1)     | H  | <b>0,88</b> (Ug 0,7)    |
| HA | <b>0,94</b> (Ug 0,5)    | HA | <b>0,85</b> (Ug 0,5)    |



**H HA 68**

## HT 906

Color Ral 7024  
 Application Alu Dekor Beton dark  
 stainless steel  
 Glass SG 906  
 Handle 314 597

| 68 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|
| H  | <b>0,98</b> (Ug 0,7)    |
| H  | <b>1,0</b> (Ug 1,1)     |
| HA | <b>0,94</b> (Ug 0,5)    |

**H HA 80 68**

## HT 862A / HSTT 400

Wood and color larch, RL 23, horizontal veneer  
 Ral 7037  
 Application stainless steel  
 Glass motif SG 862A, SM 862A  
 Handle P 3210

| 68 | Ud (Wm <sup>2</sup> /K) | 80 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|----|-------------------------|
| H  | <b>0,98</b> (Ug 0,7)    | H  | <b>0,87</b> (Ug 0,6)    |
| H  | <b>1,1</b> (Ug 1,1)     | H  | <b>0,89</b> (Ug 0,7)    |
| HA | <b>0,94</b> (Ug 0,5)    | HA | <b>0,85</b> (Ug 0,5)    |

TREND ALPHA  
& TREND



**H HA 80 68**

HTA 25 1A

Color Ral 9002, Ral 9005  
Glass Ornament glass  
Handle P 3217 - black

| 68 | Ud (Wm²/K)    | 80 | Ud (Wm²/K)    |
|----|---------------|----|---------------|
| H  | 0,95 (Ug 0,7) | H  | 0,84 (Ug 0,6) |
| H  | 0,95 (Ug 1,1) | H  | 0,84 (Ug 0,7) |
| HA | 0,94 (Ug 0,5) | HA | 0,84 (Ug 0,5) |




**H HA 80 68**

HT 843 / HSTT 400

Wood and color meranti, RM 30  
Ral 7039  
Application stainless steel  
Glass Ornament glass  
Handle P 3217  
Weatherboard WSE 02

| 68 | Ud (Wm²/K)    | 80 | Ud (Wm²/K)    |
|----|---------------|----|---------------|
| H  | 0,95 (Ug 0,7) | H  | 0,84 (Ug 0,6) |
| H  | 0,96 (Ug 1,1) | H  | 0,84 (Ug 0,7) |
| HA | 0,94 (Ug 0,5) | HA | 0,84 (Ug 0,5) |



**H HA 80 68**

## HTA 872

Color Ral 9002  
Application stainless steel  
Glass ornament glass  
Handle 314 597

| 68 | Ud (Wm <sup>2</sup> /K) | 80 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|----|-------------------------|
| H  | <b>0,97</b> (Ug 0,7)    | H  | <b>0,84</b> (Ug 0,6)    |
| H  | <b>1,0</b> (Ug 1,1)     | H  | <b>0,84</b> (Ug 0,7)    |
| HA | <b>0,94</b> (Ug 0,5)    | HA | <b>0,83</b> (Ug 0,5)    |



**H HA 80 68**

## HTA 898A

Color Ral 7039  
Handle ZAE 66 - black  
Opening fingerprint

| 68 | Ud (Wm <sup>2</sup> /K) | 80 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|----|-------------------------|
| H  | <b>0,94*</b>            | H  | <b>0,83*</b>            |
| HA | <b>0,94*</b>            | HA | <b>0,83*</b>            |



**H HA 68**

## HT 909 / HSTT 400

Color Ral 7039  
Application Alu Dekor Altholz, horizontal veneer  
Glass SM 909  
House number stainless steel  
Handle P 3212

| 68 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|
| H  | <b>0,94*</b>            |
| HA | <b>0,94*</b>            |

TREND ALPHA  
& TREND



**H HA 80 68**

HT 265 / HSTT 400

Wood and color spruce fir, RF 200,  
horizontal veneer  
Glass motiv SM 265  
Handle 316 871 - black

| 68 | Ud (Wm²/K) | 80 | Ud (Wm²/K) |
|----|------------|----|------------|
| H  | 0,94*      | H  | 0,83*      |
| HA | 0,94*      | HA | 0,83*      |



**H HA 80 68**

HTA 265A

Wood and color spruce fir, RF/K 26  
horizontal veneer  
Application stainless steel  
Handle ZAE 66

| 68 | Ud (Wm²/K) | 80 | Ud (Wm²/K) |
|----|------------|----|------------|
| H  | 0,94*      | H  | 0,83*      |
| HA | 0,94*      | HA | 0,83*      |



**H HA 80 68**

## HTA 946A

Color Ral 9016  
Glass motiv SG 946A  
Handle P 3217  
Opening fingerprint

| 68 | Ud (Wm <sup>2</sup> /K) | 80 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|----|-------------------------|
| H  | <b>0,98</b> (Ug 0,7)    | H  | <b>0,87</b> (Ug 0,6)    |
| H  | <b>1,0</b> (Ug 1,1)     | H  | <b>0,88</b> (Ug 0,7)    |
| HA | <b>0,94</b> (Ug 0,5)    | HA | <b>0,85</b> (Ug 0,5)    |



**H HA 80 68**

## HTA 944

Wood and color spruce fir, RF/K 27  
Glass ornament glass  
Handle P 3217  
Opening fingerprint  
Weatherboard WSE 03

| 68 | Ud (Wm <sup>2</sup> /K) | 80 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|----|-------------------------|
| H  | <b>0,97</b> (Ug 0,7)    | H  | <b>0,86</b> (Ug 0,6)    |
| H  | <b>1,0</b> (Ug 1,1)     | H  | <b>0,87</b> (Ug 0,7)    |
| HA | <b>0,94</b> (Ug 0,5)    | HA | <b>0,85</b> (Ug 0,5)    |



**H HA 80 68**

## HT 924A / HSTT 400

Wood and color spruce fir, RF/K 22  
Glass motiv SG 924A, SM 924A  
Handle ZAE 66 - black

| 68 | Ud (Wm <sup>2</sup> /K) | 80 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|----|-------------------------|
| H  | <b>0,99</b> (Ug 0,7)    | H  | <b>0,88</b> (Ug 0,6)    |
| H  | <b>1,1</b> (Ug 1,1)     | H  | <b>0,90</b> (Ug 0,7)    |
| HA | <b>0,94</b> (Ug 0,5)    | HA | <b>0,86</b> (Ug 0,5)    |

TREND ALPHA  
& TREND



**H HA 80 68**

HT 806 / HSTT 400

Wood and color oak, RE 200, horizontal veneer  
Ral 7039  
Glass motiv SG 806, SM 806  
Handle P 3217  
Weatherboard WSE 02

| 68 | Ud (Wm <sup>2</sup> /K) | 80 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|----|-------------------------|
| H  | 0,97 (Ug 0,7)           | H  | 0,86 (Ug 0,6)           |
| H  | 1,0 (Ug 1,1)            | H  | 0,87 (Ug 0,7)           |
| HA | 0,94 (Ug 0,5)           | HA | 0,85 (Ug 0,5)           |



**H HA 80 68**

HTA 810

Wood and color oak, RE 22, horizontal veneer  
Glass motiv SG 810  
Handle ZAE 66  
Weatherboard WSE 03

| 68 | Ud (Wm <sup>2</sup> /K) | 80 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|----|-------------------------|
| H  | 0,97 (Ug 0,7)           | H  | 0,86 (Ug 0,6)           |
| H  | 1,0 (Ug 1,1)            | H  | 0,88 (Ug 0,7)           |
| HA | 0,94 (Ug 0,5)           | HA | 0,85 (Ug 0,5)           |



**H HA 80 68**

## HTA 258A

Wood and color RF/K 16, horizontal veneer  
Glass ornament glass  
Handle P 3217 - black  
Opening fingerprint

| 68 | Ud (Wm <sup>2</sup> /K) | 80 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|----|-------------------------|
| H  | <b>0,97</b> (Ug 0,7)    | H  | <b>0,86</b> (Ug 0,6)    |
| H  | <b>1,0</b> (Ug 1,1)     | H  | <b>0,87</b> (Ug 0,7)    |
| HA | <b>0,94</b> (Ug 0,5)    | HA | <b>0,85</b> (Ug 0,5)    |



**H HA 80 68**

## HTA 258

Wood and color spruce fir, RF/K 27  
Glass Ornament glass  
Handle P 3214

| 68 | Ud (Wm <sup>2</sup> /K) | 80 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|----|-------------------------|
| H  | <b>0,97</b> (Ug 0,7)    | H  | <b>0,86</b> (Ug 0,6)    |
| H  | <b>1,0</b> (Ug 1,1)     | H  | <b>0,87</b> (Ug 0,7)    |
| HA | <b>0,94</b> (Ug 0,5)    | HA | <b>0,85</b> (Ug 0,5)    |



**H HA 68**

## HT 835 / HSTT 400

Color Ral 9002  
Application Alu Precious Sand FS metallic  
Glass motif sandblasted, SM 835  
Handle P 3214

| 68 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|
| H  | <b>0,96</b> (Ug 0,7)    |
| H  | <b>1,0</b> (Ug 1,1)     |
| HA | <b>0,94</b> (Ug 0,5)    |

TREND ALPHA  
& TREND



**H HA 80 68**

HT 845 / HSTT 400

Wood and color spruce fir, RF/K 17,  
horizontal veneer, Ral 8019  
Glass motiv SM 845  
Handle 314 597  
Opening fingerprint

| 68 | Ud (Wm²/K) | 80 | Ud (Wm²/K) |
|----|------------|----|------------|
| H  | 0,94*      | H  | 0,83*      |
| HA | 0,94*      | HA | 0,83*      |



**H HA 80 68**

HTA 866

Color Ral 7016  
Application stainless steel  
Glass motiv SG 866  
Handle P 1182 with fingerprint  
Weatherboard WSE 03

| 68 | Ud (Wm²/K)    | 80 | Ud (Wm²/K)    |
|----|---------------|----|---------------|
| H  | 1,0 (Ug 0,7)  | H  | 0,87 (Ug 0,6) |
| H  | 1,1 (Ug 1,1)  | H  | 0,89 (Ug 0,7) |
| HA | 0,94 (Ug 0,5) | HA | 0,85 (Ug 0,5) |



**H HA 80 68**

## HTA 934A

Wood and color spruce fir, RF/K 17  
Glass ornament glass  
Handle P 3217 - black  
Opening fingerprint

| 68 | Ud (Wm <sup>2</sup> /K) | 80 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|----|-------------------------|
| H  | <b>0,97</b> (Ug 0,7)    | H  | <b>0,86</b> (Ug 0,6)    |
| H  | <b>1,0</b> (Ug 1,1)     | H  | <b>0,87</b> (Ug 0,7)    |
| HA | <b>0,94</b> (Ug 0,5)    | HA | <b>0,85</b> (Ug 0,5)    |



**H HA 80 68**

## HTA 934

Color Ral 7012  
Application stainless steel  
Glass motiv SG 934  
Handle P 3217  
Weatherboard WSE 03

| 68 | Ud (Wm <sup>2</sup> /K) | 80 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|----|-------------------------|
| H  | <b>0,97</b> (Ug 0,7)    | H  | <b>0,86</b> (Ug 0,6)    |
| H  | <b>1,0</b> (Ug 1,1)     | H  | <b>0,87</b> (Ug 0,7)    |
| HA | <b>0,94</b> (Ug 0,5)    | HA | <b>0,85</b> (Ug 0,5)    |



**H HA 68**

## HT 947 / HSTT 400

Color Ral 7016  
Glass motiv sandblasted, SM 947  
Handle 316 871 - black  
Opening fingerprint

| 68 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|
| H  | <b>0,97</b> (Ug 0,7)    |
| H  | <b>1,0</b> (Ug 1,1)     |
| HA | <b>0,94</b> (Ug 0,5)    |

TREND ALPHA  
& TREND



**H HA 68**

HT 137

Color Ral 7039  
Glass ornament glass  
Handle P 3217 - black  
Opening fingerprint

| 68 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|
| H  | 0,98 (Ug 0,7)           |
| H  | 1,1 (Ug 1,1)            |
| HA | 0,94 (Ug 0,5)           |




**H HA 68**

HT 849

Wood and color oak, RE 200, Ral 7039  
Glass ornament glass  
Handle 316 860  
Led-Diode LI

| 68 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|
| H  | 0,95 (Ug 0,7)           |
| H  | 0,96 (Ug 1,1)           |
| HA | 0,94 (Ug 0,5)           |




**H HA 80 68**

## HTA 887B

Wood and color spruce fir, RF/K 10, horizontal veneer  
 Glass motiv SG 887B  
 Handle ZAE 66R  
 Opening fingerprint  
 Weatherboard WSE 03

| 68 | Ud (Wm <sup>2</sup> /K) | 80 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|----|-------------------------|
| H  | <b>1,0</b> (Ug 0,7)     | H  | <b>0,90</b> (Ug 0,6)    |
| H  | <b>1,1</b> (Ug 1,1)     | H  | <b>0,91</b> (Ug 0,7)    |
| HA | <b>0,98</b> (Ug 0,5)    | HA | <b>0,89</b> (Ug 0,5)    |



**H HA 68**

## HT 894

Wood and color oak, RE 200, horizontal veneer, Ral 7037  
 Application Alu Ral 7037 stainless steel  
 Glass motiv SG 894  
 Handle P 3217  
 Weatherboard WSE 02

| 68 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|
| H  | <b>0,97</b> (Ug 0,7)    |
| H  | <b>1,0</b> (Ug 1,1)     |
| HA | <b>0,94</b> (Ug 0,5)    |



**H HA 68**

## HT 887A / HSTT 400

Wood and color Ral 7037  
 Application Alu HD Wenge, horizontal veneer stainless steel  
 Glass motiv sandblasted, SM 887  
 Handle ZAE 66R  
 Opening fingerprint  
 Weatherboard WSE 02

| 68 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|
| H  | <b>1,0</b> (Ug 0,7)     |
| H  | <b>1,1</b> (Ug 1,1)     |
| HA | <b>0,98</b> (Ug 0,5)    |

TREND ALPHA  
& TREND




**H HA 68**

HT 885A / HSTT 400

Color Ral 9016, Ral 7042  
Application Alu Ral 7042  
Glass motiv SG 885A, SM 885  
Handle ZAE 66  
Opening fingerprint

| 68 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|
| H  | <b>1,0</b> (Ug 0,7)     |
| H  | <b>1,1</b> (Ug 1,1)     |
| HA | <b>0,98</b> (Ug 0,5)    |



**H HA 80 68**

HTA 885

Color Ral 7016, Ral 7042  
Application Alu Ral 7016 FS  
                  stainless steel  
Glass motiv AG 885  
Handle ZAE 66

| 68 | Ud (Wm <sup>2</sup> /K) | 80 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|----|-------------------------|
| H  | <b>1,0</b> (Ug 0,7)     | H  | <b>0,89</b> (Ug 0,6)    |
| H  | <b>1,1</b> (Ug 1,1)     | H  | <b>0,91</b> (Ug 0,7)    |
| HA | <b>0,98</b> (Ug 0,5)    | HA | <b>0,88</b> (Ug 0,5)    |



**H HA 80 68**

## HTA 153A

Color Ral 702 I  
Glass ornament glass  
Handle ZAE 66R  
Opening fingerprint  
Weatherboard WSE 03

| 68 | Ud (Wm <sup>2</sup> /K) | 80 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|----|-------------------------|
| H  | <b>0,96</b> (Ug 0,7)    | H  | <b>0,84</b> (Ug 0,6)    |
| H  | <b>0,99</b> (Ug 1,1)    | H  | <b>0,85</b> (Ug 0,7)    |
| HA | <b>0,94</b> (Ug 0,5)    | HA | <b>0,84</b> (Ug 0,5)    |



**H HA 80 68**

## HTA 883

Color Ral 7016  
Application Alu Ral 702 I FS  
stainless steel  
Glass motif SG 883A  
Handle TG 60

| 68 | Ud (Wm <sup>2</sup> /K) | 80 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|----|-------------------------|
| H  | <b>1,0</b> (Ug 0,7)     | H  | <b>0,90</b> (Ug 0,6)    |
| H  | <b>1,1</b> (Ug 1,1)     | H  | <b>0,91</b> (Ug 0,7)    |
| HA | <b>0,98</b> (Ug 0,5)    | HA | <b>0,88</b> (Ug 0,5)    |




**H HA 68**

## HT 255 / HSTT 400

Wood and color oak, RE 200, horizontal veneer  
Ral 702 I, Ral 7039  
Glass motif sandblasted, SM 255  
Handle F5/6

| 68 | Ud (Wm <sup>2</sup> /K) |
|----|-------------------------|
| H  | <b>0,99</b> (Ug 0,7)    |
| H  | <b>1,0</b> (Ug 1,1)     |
| HA | <b>0,97</b> (Ug 0,5)    |



## Inles

Proizvodnja, trženje in inženiring d.d.

SI - 1310 Ribnica, Kolodvorska 22

tel.: +386 1 8377 100

e-mail: [info@inles.si](mailto:info@inles.si)

[www.inles.net](http://www.inles.net)